

# SAFETY DATA SHEET MAXIMOTO 10W-40

Prepared according to Annex II of EC regulation 1907/2006

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

MAXIMOTO 10W-40
OMV PETROL OFİSİ A.Ş.
Ayazağa Eski Büyükdere Cad.
No:33-37 B Blok 34398
Maslak-Istanbul/TURKEY
Tel: +90 212 329 1500
Fax: +90 212 329 1896
www.poas.com.tr
info@poas.com.tr
11183
Engine oil
POAŞ: +90 212 329 1845 (office hours)

# 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

# ENVIRONMENT

The product is not expected to be hazardous to the environment.

# PHYSICAL AND CHEMICAL HAZARDS

This product is not flammable.

# **3 COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No.	CAS-No.	Content	Classification (67/548)
Polyolefin polyamine succinimide			1-2.5%	R53.
Polyolefin polyamine succinimide, borated			1-2.5%	R53.

The Full Text for all R-Phrases are Displayed in Section 16

# COMPOSITION COMMENTS

Some substances are not classified by legistlation. They are self classified by the manufacturer. The DMSO extract by IP 346 of the oil is less than 3%

# 4 FIRST-AID MEASURES

# INHALATION

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

# INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

# SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

# EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

# **5 FIRE-FIGHTING MEASURES**

# MAXIMOTO 10W-40

**EXTINGUISHING MEDIA** 

This product is not flammable. Extinguish with foam, carbon dioxide or dry powder.

SPECIAL FIRE FIGHTING PROCEDURES

Avoid breathing fire vapours.

### SPECIFIC HAZARDS

The product is non-combustible. If heated, toxic vapours may be formed.

#### PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

# **6 ACCIDENTAL RELEASE MEASURES**

## PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

#### **ENVIRONMENTAL PRECAUTIONS**

Do not discharge into drains, water courses or onto the ground.

## SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

# 7 HANDLING AND STORAGE

## USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

## STORAGE PRECAUTIONS

Store in tightly closed original container in a dry and cool place. Keep in original container.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

## PROTECTIVE EQUIPMENT





## **ENGINEERING MEASURES**

Provide adequate ventilation. Observe occupational exposure limits and minimize the risk of inhalation of vapours.

## RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

## HAND PROTECTION

Chemical resistant gloves required for prolonged or repeated contact.

## EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

## OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

## HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

# **9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Liquid		
COLOUR	Clear		
ODOUR	Characteristic.		
RELATIVE DENSITY FLASH POINT (°C)	0.87 g/ml 20 >101 Not noted.	VISCOSITY	101 mm2/s 100

# **10 STABILITY AND REACTIVITY**

# MAXIMOTO 10W-40

## STABILITY

Stable under normal temperature conditions. **CONDITIONS TO AVOID** Avoid excessive heat for prolonged periods of time. Avoid contact with strong oxidisers. **HAZARDOUS DECOMPOSITION PRODUCTS** No hazardous decomposition products.

# **11 TOXICOLOGICAL INFORMATION**

## INHALATION

In high concentrations, vapours may irritate throat and respiratory system and cause coughing.

#### INGESTION

May cause discomfort if swallowed.

## SKIN CONTACT

Skin irritation is not anticipated when used normally.

#### EYE CONTACT

No specific health warnings noted.

# **12 ECOLOGICAL INFORMATION**

## ECOTOXICITY

Not regarded as dangerous for the environment.

## BIOACCUMULATION

Will not bio-accumulate.

# **13 DISPOSAL CONSIDERATIONS**

## **DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

# 14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
	No transport warning sign required.
ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not classified.
SEA TRANSPORT NOTES	Not classified.
AIR TRANSPORT NOTES	Not classified.

# **15 REGULATORY INFORMATION**

## **RISK PHRASES**

NC Not classified.

SAFETY PHRASES

NC

Not classified.

## STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

## APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

## **GUIDANCE NOTES**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

# **16 OTHER INFORMATION**

## INFORMATION SOURCES

This SDS is prepared based on the information received from suppliers.

#### **REVISION COMMENTS**

Company name changed

# MAXIMOTO 10W-40

## **ISSUED BY**

Certificated from the Turkish Standards Institute (TSE) to prepare Safety Data Sheet (Certificate no: SDS - 0397) **REVISION DATE** 17.06.2011

**DATE** 24.09.2010

## **RISK PHRASES IN FULL**

R53

May cause long-term adverse effects in the aquatic environment.

#### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.