



Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

SECTION 1: Identity of the substance / mixture and company / distributor

1.1. Substance / Mixture identity

Name of the product COMPRESSOR OIL SP 46 22171

Item number

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses

Compressor oil for air and cooling systems.

Uses not recommended This product can be used without the recommendation of the supplier in advance.
It should not be used outside of applications.

1.3. Information of the safety data sheet supplier

Supplier PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar / İstanbul Tel: +90 850 339 1919
Fax: +90 216 275 3854
miningiyag@petrolofisi.com.tr

Contact person Customer Service: mineiyag@petrolofisi.com.tr

Producer PETROL OFİSİ A.Ş.
Ünalan Mahallesi, Libadiye Caddesi No: 82F Kat: 2-3-4, 34700 Üsküdar / İstanbul Tel: +90 850 339 1919
Fax: +90 216 275 3854
miningiyag@petrolofisi.com.tr

1.4. Emergency phone number

Emergency phone number Mineral Oil Customer Service: 0850 339 1919 (office hours)

National emergency phone Emergency Health Services: 112 National Poison Information Center (UZEM): 114

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification TC 28848

Physical damages Not classified as harmful

Health hazards Not classified as harmful

Environmental damages Not classified as harmful

2.2. Label elements

Hazard Statements EUH208 contains aryl amine. May cause an allergic reaction.

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Precautionary statements	P401 Store in accordance with international regulations.
Additional precautionary statements	P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves / protective clothing / eye protection / face protection. P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling. P501 Dispose of contents / container in accordance with international regulations.

2.3. Other damages

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Petroleum distillates CAS number: -	<1%
Classification Asp. Full. 1- H304 Aquatic Chronic 2- H411	
aryl amine CAS number: - M factor (acute) = 1 M factor (chronic) = 1	<1%
Classification Acute Tox. 4- H302 Skin Sensitive. 1- H317 Aquatic Acute 1- H400 Aquatic Chronic 1- H410	
Aryl triazole alkyl amine CAS number: -	<1%
Classification Acute Tox. 4- H302 Acute Tox. 4- H312 Skin Irrit. 2- H315 Skin Sensitive. 1B- H317 Aquatic Chronic 2- H411	

The full text of the hazard statements is given in Section 16.

Reviews on the composition	DMSO contents of some substances are classified by the manufacturer as <3% according to IP 346.
-----------------------------------	---

Content notes	See Section 8 for occupational exposure limits.
----------------------	---

Part I

SAFETY DATA SHEET

COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

SECTION 4: First aid measures

4.1. Description of first aid measures General

information	Personal protective equipment should be used to minimize first aid.
Breathing	Move affected person to fresh air immediately. When breathing difficulties occur, oxygen can be given to the casualty by appropriately trained personnel. If in doubt, seek medical advice immediately.
Swallowing	Rinse mouth thoroughly with water. Stop vomiting if the victim feels unwell, as vomiting can be dangerous. Never give anything by mouth to an unconscious person. If in doubt, seek medical advice immediately.
Skin contact	Take off immediately all contaminated clothing and wash before reuse. Wash skin thoroughly with soap and water or use an approved skin cleanser. If irritation persists after washing, seek medical attention.
Eye contact	Flush eyes immediately with plenty of water for at least 15 minutes. Open and close the eyelids occasionally during the washing process. Remove contact lenses, if present and easy to do. Rinse constantly. If symptoms are severe or persistent after washing, seek medical attention.
First aid workers preservation	First aid personnel should wear appropriate protective equipment during rescue. Performing mouth-to-mouth respiration can be dangerous for first aid personnel.

4.2. Most important symptoms and effects, both acute and delayed General

information	See Section 11 for additional information on health hazards.
Breathing	There are no specific symptoms known.
Swallowing	There are no specific symptoms known.
Skin contact	May cause skin sensitization and allergic reactions in sensitive individuals.
Eye contact	There are no specific symptoms known.

4.3. Indication of any medical attention and special treatment needed Information to be

given to the doctor	No specific treatment is recommended. Treat according to symptoms.
Special treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Fire extinguishers

Suitable extinguishing agents	Water spray, foam, dry powder or carbon dioxide.
Unsuitable extinguisher substances	Do not use water jet to extinguish the fire, in case it spreads the fire.

5.2. Special hazards arising from the substance or mixture Special hazards

	Not known. Cool closed containers exposed to fire with water spray.
Harmful combustion products	Thermal decomposition or combustion products may contain the following substances: Carbon dioxide (CO ₂). Carbon monoxide (CO). Irritating vapors and smoke as a result of incomplete combustion.

5.3. Advice for firefighters

Part I

SAFETY DATA SHEET

COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

During fire fighting preservative to be taken measures

No action should be taken without proper training or any personal hazard. Use water to cool fire-exposed containers and disperse vapors. Dispose of fire debris and contaminated fire extinguishing water in accordance with legal regulations.

For firefighters Positive pressure self-contained breathing apparatus and suitable protective clothing

special protective equipment get dressed. Wear special protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Make sure procedures and emergency training are in place for on-site cleaning and disposal. Do not smoke, use fire, sparks or other sources of ignition near the spill. Do not touch or walk on spilled material.

Emergency personnel for those who are not

Necessary precautions should be taken so that personnel who do not have proper training do not interfere.

For emergency responders

NOTICE: Report spillage to local authorities, as appropriate or necessary. Wear protective clothing as shown in section 8 of this safety data sheet. Stop the source of the leak if it can be done without risk. Limit the spill to prevent further contamination of the soil, surface or underground water. Clean up the spilled material as soon as possible, following the precautions in the Exposure Controls / Personal Protection section. Use non-flammable absorbent materials or appropriate techniques such as pumping. Whenever possible or see fit, dig out the contaminated soil from the area. Place contaminated items in disposable containers and dispose of in accordance with regulations. If a heated substance is spilled,

6.2. Environmental measures

Environmental measures

Apply appropriate protective measures to prevent spilled material from entering water sources, watercourses, drains, soil. The environmental authority must be notified for all significant spills.

6.3. Methods and materials for containment and cleaning

Spill removal methods

Large spills: Stop leak if not at risk. Leak sources take away. Approach with the wind behind you. Prevent from entering drains, water sources, basements or confined areas. Wash the spillage in a waste water treatment plant or proceed as follows. Collect spills with non-flammable, absorbent material and store in packaging according to legal regulations. Dispose of via a licensed waste disposer. Contaminated absorbent material may present hazard similar to spilled product. For small spills: Stop leak if not at risk. Remove sources of leak from area. Absorb with inert dry material and place in a suitable waste disposal container. Dispose through a licensed waste disposal contractor.

6.4. References to other sections

Part I

SAFETY DATA SHEET

COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

References to other sections

For personal protection see section 8. See Section 1 for emergency contact information. For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

For personal protection see section 8. Do not swallow. Avoid contact with skin, eyes and clothing. Do not breathe gas, fumes, vapors or spray. Avoid release to the environment. Keep only in the original packaging or in an alternative packaging that has been approved to be compatible with the material, keep containers closed when not in use. Product residues left in emptied containers can be dangerous. Do not reuse empty containers. Take precautionary measures against static discharge. Do not eat, drink or smoke anything while using this product. This product should not be used under conditions of poor ventilation. Keep away from heat, sparks and open flames. The container should be kept tightly closed when not in use.

Advice on general occupational hygiene

Persons sensitive to allergic reactions should not handle this product. Do not eat, drink or smoke anything while using this product. Eye wash units and emergency shower facilities should be available when working with this product. Remove contaminated clothing and protective equipment before entering eating areas. Protect from sunlight.

7.2. Conditions for safe storage, including any incompatibilities

Storage measures

Store in accordance with national regulations. Store in a suitable, well-ventilated environment. Store away from incompatible materials specified in section 10. The container is not designed to contain pressure. Do not apply pressure to empty the container, otherwise it may rupture with explosion. Empty containers contain product residue and can be dangerous. Do not pressurize, cut, weld, solder, puncture, grind or expose these containers to heat, flame, sparks, static electricity, or other sources of ignition. Containers should be completely emptied and disposed of properly. Store in a confined area with a bund to prevent leakage into drains and / or water sources. Store in accordance with national regulations.

Storage class

Not applicable.

7.3. Specific end use (s)

Specific end use (s)

The identified uses for this product are detailed in Section 1.2. It should be used as specified in the

Directions for use

product data sheet.

SECTION 8: Exposure Controls / personal protection

8.1. Control parameters

Occupational exposure limits

There is no suitable information.

Part I

SAFETY DATA SHEET

COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Content notes

If this product contains a component with exposure limits, it may be necessary to measure and monitor the work environment or biological workplace to determine the effectiveness of ventilation and other control measures and / or the need for use of respiratory protective devices. Reference should be made to the European Standard EN 689 for methods for assessing inhalation exposure to chemicals and to relevant national guidance documents as methods for the detection of hazardous substances.

Biological limit values

There is no suitable information.

DNEL

There is no suitable information.

DMEL

There is no suitable information.

PNEC

There is no suitable information.

lubricating oils (petroleum), C20-50, hydrotreated neutral oil based (CAS: 72623-87-1)

DNEL

TWA (fog): 5 mg / m³, STEL (fog): 10 mg / m³, TWA_{EV} (fog): 5 mg / m³, STEV (fog): 10 mg / m³, TWA (respirable fraction): 5 mg / m³

8.2. Exposure controls Protective

equipment



Proper engineering controls

Consider the potential risks of this substance (see Section 2), appropriate exposure limits, work activities and other substances in the workplace when determining engineering controls and selecting personal protective equipment. If engineering controls and work practices are not sufficient to prevent exposure to harmful levels of this substance, the use of personal protective equipment specified in this section is recommended. The user must read and understand all instructions and restrictions supplied with the equipment, although protection is usually provided for a limited time or under certain conditions.

Personal protection

Keep away from foodstuffs, food and drink. Instantly remove contaminated and impregnated clothing. Wash hands during breaks and after work. Store protective equipment separately. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye / Face protection

Wear goggles against chemical splashes.

Hand protection

It is recommended that users with sensitive skin wear suitable protective gloves. Avoid contact with

Other skin and body protection Health

skin. Wear apron or protective clothing in case of contact.

measures

Persons sensitive to allergic reactions should not handle this product. Wash hands and any contaminated areas of the body with soap and water before leaving the work area. There are no specific hygiene procedures recommended, but personal hygiene practices should be followed when working with chemical products.

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Respiratory system preservation	If the risk assessment shows the possibility of inhalation of air pollution, respiratory protection compliant with an approved standard should be used.
Thermal damages	If there is danger of contact with hot product, all protective equipment suitable for use with high temperatures should be used.
Environmental exposure controls	Store in a confined area with a bund to prevent leakage into drains and / or water sources. Containers should be kept tightly sealed when not in use. Residues and empty containers should be treated as hazardous waste in accordance with local and national provisions.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties Appearance

	Clear liquid.
Color	Yellowish.
Smell	Odorless or very light like petroleum oil
Odor threshold	There is no suitable information.
pH	Not applicable.
Melting point / freezing point	There is no suitable information.
Initial boiling point and boiling range	There is no suitable information.
Flash point	250 ° C Cleveland open cup. There is no
Evaporation rate	suitable information.
Evaporation factor	There is no suitable information.
Flammability (solid, gas)	There is no suitable information.
Upper / Lower flammability or explosive limits	There is no suitable information.
Other flammability	There is no suitable information.
Vapor pressure	There is no suitable information.
Vapor density	There is no suitable information.
Relative density	There is no suitable information.
Volumetric density	~ 0,857 kg / m ³
Resolution (s)	It is insoluble in water.
Partition coefficient	There is no suitable information.
Self ignition temperature	There is no specific test data available.
Decomposition temperature	There is no specific test data available.

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Viscosity	41.4-50.6 cSt @ 40 ° C
Explosive properties	There is no specific test data
Explosive under the influence of flame	available. No data available.
Oxidizing properties	No data available.
Descriptions	The information given can be applied to the product as presented.
9.2. Other informations	
Other informations	Required information is not available.
Refractive index	There is no suitable information.
Particle size	There is no suitable information.
Molecular weight	There is no suitable information.
Volatility	There is no suitable information.
Saturation concentration	There is no suitable information.
Critical temperature	There is no specific test data available. There is
Volatile organic compound	no suitable information.

SECTION 10: Stability and reactivity

10.1. Reaction

Reaction There is no specific test data on the available reactivity of this product or its ingredients.

10.2. Chemical stability

Stability The product is stable under the recommended handling and storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Hazardous reaction will not occur under normal conditions of storage and use.

10.4. Conditions to avoid **Conditions to avoid** High temperature, sparks and open flames.

10.5. Incompatible materials **Materials to avoid** Strong reducing agents. Strong oxidizers.

10.6. Hazardous decomposition products

Hazardous decomposition products Decomposition products may contain: Carbon dioxide (CO₂). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects **Toxic**

effects The information given is based on the data of the components and similar products.

Part I

SAFETY DATA SHEET

COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Other health effects

There is no suitable information.

Acute toxicity - oral Summary

Based on available data, it does not meet the classification criteria.

Notes (oral LD₅₀)

Mineral oil: LD₅₀> 5000 mg / kg, Oral, Rat Aryl amine: LD₅₀ 1625 mg / kg, Oral, Rat Aryl triazole alkyl amine:
LD₅₀ 636 mg / kg, Oral, Rat lubricating oils (petroleum), C20-50, with hydrogen treated neutral oil-based: LD₅₀>
5000 mg / kg, Oral, Rat

Acute toxicity - dermal Summary

Based on available data, it does not meet the classification criteria.

Notes (dermal LD₅₀)

Mineral oil: LD₅₀> 5000 mg / kg, Dermal, Rabbit Aryl amine: LD₅₀> 2000 mg / kg, Dermal, Rabbit Aryl triazole alkyl amine:
LD₅₀ 1190 mg / kg, Dermal, Rabbit lubricating oils (petroleum), C20-
50, hydrogen treated neutral oil-based: LD₅₀> 2000 mg / kg, Dermal, Rabbit

Acute toxicity - inhalation

Summary

Based on available data, it does not meet the classification criteria.

Notes (inhalation LC₅₀)

Mineral oil: LC50> 5000 mg / m³, Inhalation, Rat lubricating oils (petroleum), C20-50, hydrogenated neutral
oil-based: LC50 5.2 mg / l, Inhalation, Rat

Skin corrosion / irritation

Summary

Based on available data, it does not meet the classification criteria. Based on

Skin corrosion / irritation

available data, the classification criteria are not met. Based on available data, the

Animal data

classification criteria are not met. Based on available data, the classification

Human skin model test Extreme

criteria are not met. Based on available data, the classification criteria are not

pH

met.

Serious eye damage / irritation

Summary

Based on available data, it does not meet the classification criteria. Based on

Serious eye damage / irritation

available data, the classification criteria are not met.

Respiratory sensitization

Summary

Based on available data, it does not meet the classification criteria. Based on available

Respiratory tract sensitization

data, the classification criteria are not met.

Skin sensitization

Summary

Based on available data, the classification criteria are not met. Based on

Skin sensitization

available data, the classification criteria are not met.

Germ cell mutagenicity

Summary

Based on available data, the classification criteria are not met. Based on

Genotoxicity - in vitro

available data, the classification criteria are not met.

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Genotoxicity - in vivo	Based on available data, the classification criteria are not met.
Carcinogenicity	
Summary	Based on available data, the classification criteria are not met. Based on
Carcinogenicity	available data, the classification criteria are not met. There are no known
Target for carcinogenicity organs	specific target organs.
IARC carcinogenicity	Not listed.
NTP carcinogenicity	Not listed.
Reproductive toxicity	
Summary	There is no test data showing that this product is toxic to the reproductive system.
Reproductive system toxicity fertility	Based on available data, the classification criteria are not met.
Reproductive system toxicity developmental	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure Summary	
	Based on available data, it does not meet the classification criteria.
BHOT- single exposure	Based on available data, the classification criteria are not met.
Target organs	There are no known specific target organs.
Specific target organ toxicity - repeated exposure Summary	
	Based on available data, it does not meet the classification criteria.
BHOT- repeated exposure	Based on available data, the classification criteria are not met.
Target organs	There are no known specific target organs.
Aspiration hazard	
Summary	Based on available data, it does not meet the classification criteria.
Aspiration hazard	Due to its chemical nature, it is not expected to present any aspiration hazard. The product contains a component with aspiration toxicity.
Toxicokinetics	Required information is not available.
General information	The information given is based on the data of the components and similar products. No
Breathing	data available.
Swallowing	No data available.
Contact with skin	No data available.
Eye contact	No data available.

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Acute and chronic health hazards Contact	There is not enough data.
routes	There is no suitable information.
Target organs	There are no known specific target organs. There is not
Medical symptoms	enough information.
Medical opinions	There is not enough information.

SECTION 12: Ecological information

Ecotoxicity The product contains a substance that is toxic to aquatic organisms and can cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity Based on available data, the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data, the classification criteria are not met.

Acute toxicity - fish Aryl amine:
LC₅₀, 96 hours: 0,44 mg / l, Fish Aryl
triazole alkyl amine:
LC₅₀, 96 hours: 1,3 ppm, Fish

Acute toxicity - aquatic invertebrates Aryl amine:
EC₅₀, 48 hours: 0.3 mg / l, daphnia

Acute toxicity - aquatic plants Aryl amine:
EC₅₀, 72 hours:> 0.25 mg / l, Algae

Acute toxicity microorganisms Required information is not available.

Acute toxicity - terrestrial organisms Required information is not available.

Chronic aquatic toxicity

Summary Based on available information, the classification criteria are not met. Required
Chronic toxicity- in fish early life stage information is not available.

Short term toxicity - embryo and early larval stages Required information is not available.

Chronic toxicity- aquatic invertebrates Required information is not available.

Toxicity to soil Required information is not available.

Toxicity to terrestrial plants Required information is not available.

12.2. Persistence and degradability

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Persistence and degradability	Based on available data, the classification criteria are not met. Based on
Phototransformation	available data, the classification criteria are not met. Based on available data,
Stability (hydrolysis)	the classification criteria are not met. Based on available data, the
Biodegradation	classification criteria are not met. Based on available data, the classification
Biological oxygen demand	criteria are not met. Based on available data, the classification criteria are not
Chemical oxygen demand	met.
12.3. Bioaccumulative potential	
Bioaccumulative potential	Based on available data, the classification criteria are not met. There is no suitable
Partition coefficient	information.
12.4. Mobility in soil	
Mobility	Required information is not available.
Adsorption / desorption coefficient	Required information is not available.
Henry's law constant	Required information is not available.
Surface tension	Required information is not available.
12.5. Results of PBT and vPvB assessment	
PBT and vPvB results of the assessment	Not applicable.
12.6. Other adverse effects Other	
adverse effects	This product contains components that have an aquatic effect. Prevent from entering soil, rivers and sewers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods General

information	Waste generation should be minimized or avoided wherever possible. Wastes, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated appropriate containers and labeled according to their contents.
Waste treatment methods	Absorb in vermiculite, dry sand or earth and place in containers. Dispose of waste in a licensed waste disposal facility in accordance with the requirements of the local Waste Disposal Authorities.
Waste class	Waste code classification should be carried out according to the European Waste Catalog (EWC).

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR / RID).
----------------	--

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class (es)

There is no required transport warning sign.

14.4. Packing group

Not applicable.

14.5. Environmental damages

Environmentally harmful / marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

MARPOL 73/78 Annex II and IBC

Not applicable.

pouring by code

transportation

SECTION 15: Regulatory information

15.1. Safety, health and environmental legislation specific for the substance or mixture

National regulations

It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets Regarding Hazardous Substances and Mixtures of
the Ministry of Environment and Urbanization of the Republic of Turkey" dated 13 December 2014 and numbered 29204.

Republic of Turkey Ministry of Environment and Urbanization, Regulation on Classification, Labeling and Packaging of
Substances and Mixtures, dated 11 December 2013 and numbered 28848

EU legislation

<https://echa.europa.eu>

Guide

Safety Data Sheet for substances and preparations. The ingredients

Health and environmental lists

with a risk of harm are listed.

SECTION 16: Other information

Part I

SAFETY DATA SHEET

COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

In the safety data sheet used abbreviations and acronyms

EU: European Union DMSO:
Dimethyl sulfoxide
PPE: Personal protective equipment STEL:
Short term exposure limit
TC: Republic of Turkey
TWA: Workplace exposure limits. UZEM: National
Poison Information Center ATE: Acute Toxicity
Estimate.
ADR: European Agreement on the International Carriage of Dangerous Goods by Road. CAS: Chemical
Abstracts Service.
DNEL: Derived no-effect level. IATA: International Air
Transport Association. IMDG: International Maritime
Dangerous Goods.
LC50: The concentration of the substance causing 50% (half) death in the test animal group.
LD50: Dose of substance (Median Lethal Dose) that caused 50% (half) death in the test animal group.

PBT: Persistent, Bioaccumulative and Toxic substance.
REACH: EU Regulation (EC) No 1907/2006 on Registration, Evaluation, Authorization and Restriction of
Chemicals.
vPvB: Very Persistent, Very Bioaccumulative.
EC₅₀: Effective Concentration of the substance causing 50% maximum response.

Abbreviations and acronyms

Asp. Full. = Aspiration hazard
Aquatic Chronic = Harmful to the aquatic environment (chronic) Acute
Tox. = Acute toxicity
Skin Sensitive. = Skin sensitization Aquatic Acute = Hazardous
to the aquatic environment (acute) Skin Corr. = Skin abrasion

General information

Only trained personnel should use this material. This document contains important information for the safe storage, transport and use of this product. The information in this document should be brought to the attention of the person responsible for security issues in your organization. Uses and Restrictions: This product should not be used outside of the applications recommended in Section 1 without the prior recommendation of the supplier. This product is not used as a solvent or cleaning agent to set fire or to make it brighter and to clean the skin. Material Safety Data Sheet Distribution: The information in this document should be made available to all persons who can handle this product. Disclaimer: This information is based on our current knowledge and the product is described for the purpose of health, safety and environmental requirements only.

Main literature references and sources of information

This SDS is arranged within the information received from our raw material suppliers.

Dated December 11, 2013 and 28848 EUH208: Calculation method.
according to regulation
classification conditions

Education advice

Untrained personnel should not be used.

Part I
SAFETY DATA SHEET
COMPRESSOR OIL SP 46

Dated December 13, 2014 and numbered 29204, "Ministry of Environment and Urbanization Regarding Hazardous Substances and Mixtures
It has been arranged in accordance with the provisions of the "Regulation on Safety Data Sheets".

Revision comments by	This is the first arrangement. Sevda ŞAHAN Certified Safety Data Sheet Maker (Certificate No: GBF01.23.08; Date: 03.11.2018-03.11.2021)
New date of issue	01.06.2019
How many regulations	0
Preparation date	01.06.2019
SDS No	20488
GBF status	Approved.
All of the hazard statements	H302 Harmful if swallowed. H304 Fatal if swallowed and enters respiratory tract. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H400 Very toxic to aquatic environment. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH208 contains aryl amine. May cause an allergic reaction.

This information relates only to a specific specific substance and should not be used in a composition or any process where the same substance is used in combination with other substances. This information is accurate and reliable as of the date specified, within the firm's high level of knowledge and opinion. However, no warranty or representation of any kind is made for its accuracy, reliability and completeness. It is the user's own responsibility to be satisfied that this information is suitable for his own use.